

For A Better Tomorrow DOMINANT Automotive Exterior LED Solutions

www.dominant-semi.com



DOMINANT Opto Technologies is one of the leading light-emitting diodes (LEDs) manufacturers in the world offering high-performance and innovative solutions for world-renowned car makers.

Established in 2000, DOMINANT has expanded globally, with 6 regional offices in close proximity to key design centers located in Europe, the United States, China, Japan, South Korea and India to provide professional sales and technical support.

Our comprehensive product portfolio ranges from low to high intensity LEDs with a wide range of color spectrum for interior applications e.g. instrument cluster, infotainment system, climate control, switches and ambient lighting as well as exterior applications e.g. head lamp, tail lamp, rear combination lamp, central high mounted stop lamp and license plate lamp. All of our products are qualified in accordance to the automotive qualification of AEC-Q102.

With extensive experience and expertise in research and technological development combined with state-of-the-art manufacturing facilities, DOMINANT is relentlessly pushing the boundaries of innovation without compromising on quality and reliability and has become a trusted and reliable partner for its customers.

For more information about DOMINANT, an IATF 16949 and ISO 14001 certified company, please visit our website at http://www.dominant-semi.com

CONTENTS

Rear Lighting

02	SpicePlus 2520
03	Power Right Angle DomiLED
04	PrimaxPlus Bi-Color
05	Extreme Power DomiLED
06	Power DomiLED
07	DomiLED
08	L-Spice

Front Lighting

10	SpicePlus SLES
11	SpicePlus 2520
12	PrimaxPlus Bi-Color
13	NagaJo



SpicePlus 2520



2.5 x 2.0 x 0.7mm

Color	Part No.	$\lambda_{d} / C_{x}C_{y}$	$I_{\rm F}$	l _F (max)	Flux (typ)	V _F	T _j (max)	R _{th JS real} (typ)
Amber	SVA-HHG	612-627nm	30mA	50mA	5.5lm	1.90-2.50V	135°C	45K/W
Super Red	SVS-HHG	627 - 637nm	30mA	50mA	3.22lm	1.90-2.50V	135°C	45K/W
Amber	SVA-MHG	612 - 627nm	50mA	70mA	10.7 l m	2.05 - 2.65V	135°C	25K/W
Yellow	SVY-MHG	583-595nm	50mA	70mA	10.7 l m	2.05-2.65V	135°C	27K/W
Super Red	SVS-MHG	627 - 637nm	50mA	70mA	6.3lm	2.05-2.65V	135°C	25K/W
Amber	SVA-SHG	612 - 627nm	200mA	250mA	45.2lm	2.05 - 2.65V	150°C	17K/W
Yellow	SVY-SHG	583-595nm	200mA	250mA	39.8lm	2.05-2.65V	150°C	20K/W
Super Red	SVS-SHG	627 - 637nm	200mA	250mA	26.8lm	2.05-2.65V	150°C	17K/W
Amber	SVA-TZHG	612 - 627nm	350mA	500mA	76.5lm	2.00 - 2.75V	150°C	12K/W
Yellow	SVY-TZHG	583-595nm	350mA	500mA	59.0lm	2.00-2.75V	150°C	12K/W
Super Red	SVS-TZHG	627 - 637nm	350mA	500mA	45.2lm	2.00-2.75V	150°C	12K/W
Amber	SVA-WZHG	612 - 627nm	700mA	1A	129.2 l m	2.05 - 2.80V	150°C	8K/W
Yellow	SVY-WZHG	583-595nm	700mA	1A	113.6lm	2.05-2.80V	150°C	8.8K/W
Super Red	SVS-WZHG	627 - 637nm	700mA	1A	76.5lm	2.05-2.80V	150°C	8K/W
Amber	SVA-ASS	612 - 627nm	50mA	70mA	12.2lm	1.90 - 2.65V	135°C	25K/W
Yellow	SVY-ASS	583-595nm	50mA	70mA	12.2 I m	1.90-2.65V	135°C	27K/W
Super Red	SVS-ASS	627 - 637nm	50mA	70mA	7.15lm	1.90-2.65V	135°C	25K/W
Blue	SVB-EZHG	450-465nm	200mA	250mA	12.2lm	2.80-3.40V	150°C	18K/W

Power Right Angle DomiLED



Color	Part No.	$\lambda_{d}^{\prime} / C_{x}^{\prime} C_{y}^{\prime}$	I _F	l _F (max)	Flux (typ)	$V_{_{F}}$	T _j (max)	R _{th JS real} (typ)
Amber	D3A-MKG	612 - 627nm	50mA	70mA	10.7 l m	1.90 - 2.65V	125°C	90K/W
Yellow	D3Y-MKG	586-595nm	50mA	70mA	8.2lm	1.90-2.65V	125°C	90K/W
Super Red	D3S-MKG	627-637nm	50mA	70mA	5.5lm	1.90-2.65V	125°C	90K/W
Amber	D3A-SKG	612-627nm	140mA	200mA	26.8lm	1.90-2.50V	150°C	60K/W
Yellow	D3Y-SKG	586-595nm	140mA	200mA	23.5lm	1.90-2.50V	150°C	60K/W
Super Red	D3S-SKG	627-637nm	140mA	200mA	13.9 l m	1.90-2.50V	150°C	60K/W

PrimaxPlus Bi-Color



Color	Part No.	$\lambda_{d}^{}$ / $C_{x}^{}C_{y}^{}$	I _F	l _F (max)	Flux (typ)	V _F	T _j (max)	R _{th JS real} (typ)
Amber Yellow	MCAY-VZHG	612-627nm 586-595nm	140mA	200mA	30.6lm 26.8lm	1.90-2.50V	150°C	30K/W
Super Red Yellow	MCSY-VZHG	627-637nm 586-595nm	140mA	200mA	15.8lm 26.8lm	1.90-2.50V	150°C	30K/W
Amber Amber	MCAA-VZHG	612-627nm 612-627nm	140mA	200mA	30.6lm 30.6lm	1.90 - 2.50V	150°C	30K/W
Yellow ☐ White	MCYW-VZHG	586-595nm L1P2 (single bin)	140mA	200mA	26.8lm 45lm	1.90-2.50V 2.80-3.40V	150°C	30K/W 14K/W
Amber Yellow	MCAY-TZHG	612-627nm 586-595nm	350mA	400mA	67.2lm 45lm	1.90-2.65V	150°C	16K/W
Super Red Yellow	MCSY-TZHG	627-637nm 586-595nm	350mA	400mA	15.8lm 26.8lm	1.90-2.65V	150°C	16K/W
Amber Amber	MCAA-TZHG	612-627nm 612-627nm	350mA	400mA	67.2lm 67.2lm	1.90-2.65V	150°C	16K/W
Super Red InGaN Yellow	MCSZY-VZHG	627-637nm 5F	140mA	200mA	18.1lm 30.6lm	1.90-2.50V 2.80-3.40V	150°C	30K/W 14K/W

Extreme Power DomiLED



Color	Part No.	$\lambda_{d}^{\prime} / C_{x}^{\prime} C_{y}^{\prime}$	I _F	l _F (max)	Flux (typ)	V _F	T _j (max)	R _{th JS real} (typ)
Amber	D6A-SKG	612-627nm	140mA	200mA	26.8Im	1.90-2.50V	125°C	50K/W
Yellow	D6Y-SKG	586-595nm	140mA	200mA	23.5lm	1.90-2.50V	125°C	50K/W
Super Red	D6S-SKG	627-639nm	140mA	200mA	13.9lm	1.90 - 2.50V	125°C	50K/W
Green	D6G-SKG	580-586nm	140mA	200mA	15.8 l m	1.90 - 2.65V	125°C	50K/W

Power DomiLED



Color	Part No.	$\lambda_{d}^{\prime} / C_{x}^{\prime} C_{y}^{\prime}$	I _F	l _F (max)	Flux (typ)	V _F	T _j (max)	R _{th JS real} (typ)
Amber	DWA-HKG	612-627nm	50mA	70mA	8.2lm	2.05-2.50V	125°C	80K/W
Amber	DWA-MKG	612-627nm	50mA	70mA	10.7 l m	1.90-2.65V	125°C	80K/W
Yellow	DWY-MKG	586-595nm	50mA	70mA	9.35lm	1.90-2.65V	125°C	80K/W
Super Red	DWS-MKG	627-639nm	50mA	70mA	5.5lm	1.90-2.65V	125°C	80K/W
□ White	DWW-EZKG	JKPL	30mA	50mA	8.3lm	2.65-3.30V	125°C	130K/W
□ White	DWW-KZKG	K1P2 (Single color bin)	60mA	80mA	16.3lm	2.90-3.50V	150°C	130K/W
InGaN Yellow	DWZY-KZKG	5E5F	60mA	80mA	13lm	2.90-3.50V	150°C	130K/W

DomiLED



Color	Part No.	$\lambda_{d} / C_{x}C_{y}$	I _F	l _F (max)	Flux (typ)	V _F	T _j (max)	R _{th JS real} (typ)
Amber	DRA-HKS	612-627nm	30mA	50mA	6.5lm	1.90-2.50V	125°C	130K/W
Yellow	DRY-MKS	586-595nm	30mA	50mA	6.5 l m	1.80-2.50V	125°C	130K/W
Super Red	DRS-MKS	627-639nm	30mA	50mA	3.9Im	1.80-2.50V	125°C	130K/W
□ White	DDW-HZKG	F1P3 (Single color bin)	20mA	50mA	6.9Im	2.80-3.30V	125°C	140K/W



L-Spice

Color	Part No.	$\lambda_d / C_x C_y$	I _F	l _F (max)	Flux (typ)	V _F	T _j (max)	R _{th JS real} (typ)
Amber	*C6A-MHG	612 - 627nm	60mA	80mA	13.9lm	2.15-2.75V	125°C	43K/W
Yellow	*C6Y-MHG	583-595nm	60mA	80mA	13.9lm	2.15-2.75V	125°C	46K/W
Super Red	*C6S-MHG	627 - 637nm	60mA	80mA	7.15lm	2.15-2.75V	125°C	43K/W
Amber	*C6A-SHG	612 - 627nm	200mA	250mA	39.8lm	2.05-2.65V	125°C	25K/W
Yellow	*C6Y-SHG	583-595nm	200mA	250mA	34.8lm	2.05-2.65V	125°C	25K/W
Super Red	*C6S-SHG	627-637nm	200mA	250mA	23.5lm	2.05-2.65V	125°C	25K/W
*COMING SOON								




SpicePlus SLES



Color	Part No.	$\lambda_{d}^{\prime} / C_{x}^{\prime} C_{y}^{\prime}$	I _F	l _F (max)	Flux (typ)	$V_{_{\rm F}}$	T _j (max)	R _{th JS real} (typ)
U White	STW-EZHG	L2P2	150mA	250mA	54 l m	2.80-3.40V	150°C	18K/W





Color	Part No.	$\lambda_{d}^{}$ / $C_{x}^{}C_{y}^{}$	I _F	l _F (max)	Flux (typ)	V _F	T _j (max)	R _{th JS real} (typ)
□ White	SVW-EZHG	L2P2	150mA	250mA	59lm	2.80-3.40V	150°C	16K/W
InGaN Yellow	SVZY-EZHG	5J	200mA	250mA	55 l m	2.80-3.40V	150°C	16K/W

PrimaxPlus Bi-Color



Color	Part No.	$\lambda_{d}^{\prime} / C_{x}^{\prime} C_{y}^{\prime}$	I _F	l _F (max)	Flux (typ)	$V_{_{\rm F}}$	T _j (max)	R _{th JS real} (typ)
InGaN Yellow ☐ White	MCZYW-VZHG	5F / L1P2 (single bin)	140mA	200mA	34.8lm 45.0lm	2.80-3.40V	150°C	14K/W
InGaN Yellow ☐ White	MCZYW-KZHG	5F / L1P2 (single bin)	250mA	300mA	45.2lm 76.5lm	2.90 - 3.40V	150°C	11K/W

NagaJo					\diamondsuit	<	>	٠
ruguso					.7 x 2.5 x 0.84mm J2W)	2.0 x 2.5 x 0.99mm (J1ZY)	2.0 x 2.5 x 0.85mm (J1W)	1.2 x 1.6 x 0.79mm (JEW)
Color	Part No.	$\lambda_{d}^{\prime} / C_{x}^{\prime} C_{y}^{\prime}$	I _F	l _F (max)	Flux (typ)	V _F	T _j (max)	R _{th JS real} (typ)
□ White	JEW-EZHY	VNBN	150mA	300mA	55.4 l m	2.80-3.60V	150°C	19K/W
□ White	J1W-PZHY	VNDN	1A	1.5A	395 l m	2.90-3.50V	150°C	4.2K/W
□ White	J2W-PZHY	VNBN	1A	1.5A	754lm	5.60 - 6.80V	150°C	2.7K/W
InGaN Yellow	J1ZY-PZHS	5H	1A	1.2A	205lm	2.90-3.50V	150°C	4.2K/W

Automotive Exterior Applications



DOMINANT Head Quarter DOMINANT Opto Technologies Sdn. Bhd. Q Lot 6, Batu Berendam, FTZ Phase III, 75350 Melaka, Malaysia **C** +606 283 3566 +606 283 0566 sales@dominant-semi.com **DOMINANT Ching Sales Office** DOMINANT Opto Technologies (Shanghai) Co., Ltd Q Rm A305, Hongwell International Plaza, No. 1600 Zhong Shan (W) Rd, Xuhui District, 200235 Shanghai, China **•** +86 21 5403 5655 +86 21 5403 6055 Sales china@dominant-semi.com **DOMINANT Korea Sales Office** DOMINANT Opto Technologies Korea Inc. • 6F, Dojin Bldg, 30, Samhaksa-ro Songpa-gu, Seoul, 05692, Korea +82-02-425-5207 **L** +82-02-425-5203 🗖 sales korea@dominant-semi.co.kr **DOMINANT Europe Sales Office DOMINANT Semiconductors Europe GmbH** • Raiffeisenstr. 38, 74906 Bad Rappenau, Germany **L** +49 (0) 7264-89010-0 **H** +49 (0) 7264-89010-29 info@dominant-semi.eu **DOMINANT North America Sales Office** DOMINANT Opto Technologies North America Inc. 550 Stepheson Highway, Suite 320, Troy, MI 48083 **c** +1(616) 893 5456 ➡ sales us@dominant-semi.us **DOMINANT India Sales Office** 🛛 sales@dominant-semi.com **L** +91-99990 24367 **DOMINANT Japan Sales Office** Feb 2022 DOMINANT Opto Technologies Japan K.K. ■お記■ DOMI Three One Building 703, 3-20-5 ShinYokohama Kouhoku-ku, Yokohama City #222-0033 Japan Opto Technologies Innovating Illumination

📞 +81 45 624 9345 🛛 🗠 m.nakamachi@dominant-semi.com

